

KEYTRUDA

Primary Fluids: 500ml NS

Labs Required: CMP and CBC every 3 wks with treatment
TSH, T3, T4 every 6 wks

Pre- meds: no premeds needed

Administration: mix in 250ml of NS with filter and taxol tubing, give over 30 minutes

Special Attention: watch and assess for colitis, liver enzymes, thyroidism, renal insufficiency, pneumonitis

ALIMTA

Primary Fluids: NS 500ml

Labs Required: CBC, CMP every treatment

Figure creatinine clearance every treatment, holding dose if ≤ 45 ml/min

Pre- meds: oral decadron 4mg day before, day of and day after treatment

Oral folic acid daily 5 days prior to treatment, daily, and 21 days following last dose of Alimta

B12 injections 1000mcg one week prior to treatment and every 9 weeks during treatments

Administration: Mix in 100ml NS and give over 15 minutes

Flush line well after administration

Special Attention: Give first with combined therapy 30 minutes before platinum

ABRAXANE

Primary Fluids: NS 500ml

Labs Required: CBC, CMP every treatment

Check neuropathy status before ordering medication to be mixed

Pre- meds: Zofran IVP

Administration: Give over 30 minutes

Special Attention: Assess neuropathy before ordering medication to be mixed

Give Abraxane before other chemotherapy in regimen